



Lecture (02)

Networking Model (TCP/IP)

Networking Standard (OSI)

(I)

By:

Dr. Ahmed ElShafee

Dr. Ahmed ElShafee, ACU : Fall 2015, Networks II

Agenda

- Introduction to *networking architecture*
- Historical background
- The TCP/IP Protocol Architecture
 - The TCP/IP Application Layer
 - The TCP/IP Transport Layer
 - The TCP/IP Internetwork Layer
 - The TCP/IP Network Interface Layer
 - Network access layer
 - Physical layer
- Data Encapsulation

Introduction to *networking architecture*

- The term *networking model*, or *networking architecture*, refers to an organized description of all the functions needed for useful communications to occur.
- Networking model like you think of a set of architectural plans for building a house.



Introduction to *networking architecture (2)*

- Sure, you can build a house without the architectural plans, but it will work better if you follow the plans.
- And because you probably have a lot of different people working on building your house, such as framers, electricians, bricklayers, painters, and so on, it helps if they can all reference the same plan.



Introduction to *networking architecture* (3)

- Similarly, you could build your own network, write your own software, build your own networking cards, and create a network without using any existing networking model.
- However, it is much easier to simply buy and use products that already conform to some well-known networking model.



Historical background

- Every Microsoft, Linux, and UNIX operating system includes support for TCP/IP.
- Hand-held digital assistants and cell phones support TCP/IP.
- Even IBM Mainframe operating systems support TCP/IP.
- Once upon a time, there were no networking protocols, including TCP/IP.
- Vendors created the first networking protocols; these protocols supported only that vendor's computers, and the details were not even published to the public.
- As time went on, vendors formalized and published their networking protocols, enabling other vendors to create products that could communicate with their computers

7

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

Historical background (2)

- However, to talk to a computer using the hardware or software from vendor X, you needed to use the networking protocols created by vendor X.
- IBM mainframe using SNA (Systems Network Architecture),
- a DEC minicomputer using DECnet,
- a Novell server using NetWare,
- Apple computer using AppleTalk.



Historical background (3)

The International Organization for Standardization (ISO) took on this task starting as early as the late 1970s, beginning work on what would become known as the **Open Systems Interconnection (OSI)** networking model.

The ISO had a noble goal for the OSI: to standardize data networking protocols to allow communication between all computers across the entire planet.



Y

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks I

X

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

Historical background (4)


- U.S. Defense Department did a less formal effort to create a standardized, public networking model sprouted forth from a contract.
- Researchers at various universities volunteered to help further develop the protocols surrounding the original department's work.
- These efforts resulting in a competing networking model called TCP/IP.



Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

Historical background (5)

The world now had many competing vendor networking models and two competing standardized networking models.
So what happened? TCP/IP won the war.



Dr. Ahmed ElShafee, ACU Fall2015, Computer Network

Historical background (6)

OSI Model Layers	TCP/IP Protocol Architecture Layers
Application Layer	Application Layer
Presentation Layer	
Session Layer	
Transport Layer	Host-to-Host Transport Layer
Network Layer	Internet Layer
Data-Link Layer	Network Interface Layer
Physical Layer	

Dr. Ahmed ElShafee, ACU Fall2010, Computer Networks II

The TCP/IP Protocol Architecture

Overview

TCP/IP defines a large collection of protocols that allow computers to communicate.


these protocols inside document called Requests For Comments (RFCs).



Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

The TCP/IP Protocol Architecture (2)

An easy comparison can be made between telephones and computers that use TCP/IP.
you can buy a phone from one of a dozen different vendors.
When you get home, you plug the phone in to the wall socket, and it works.
The phone vendors know the standards for phones in their country and build their phones to match those standards.



hmed ElShafee, ACU Fall2015, Computer Networks II



The TCP/IP Protocol Architecture (3)


Similarly, a computer that implements the standard networking protocols defined by TCP/IP can communicate with other computers that also use the TCP/IP standards.



14

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

The TCP/IP Protocol Architecture (4)



15

Dr. Ahmed ElShafee, ACU Fall2010, Computer Networks II

1. The TCP/IP Application Layer

- The most popular TCP/IP application today is the web browser.
- Many major software vendors either have already changed or are changing their software to support access from a web browser (web based app).
- Using a web browser is easy—you start a web browser on your computer and select a web site by typing in the name of the web site, and the web page appears.




16

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

1. The TCP/IP Application Layer (2)

- **What really happens** to allow that web page to appear on your web browser?
- Imagine Bob opened his web browser, and wrote in address bar Larry Web Server address.
- Bob's initial request actually asks Larry to send his home page back to Bob.



14

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

1. The TCP/IP Application Layer (3)

- Larry's web server software has been configured to know that Larry's default web page is contained in a file called Index.htm , default.html,.....
- File is transferred according to the Hypertext Transfer Protocol (HTTP). [not most urls starts with http://]
- Bob receives the file from Larry as HTML file.
- HTML defines how Bob's web browser should interpret the text inside the file he just received.
- For instance, the file might contain directions about making certain text be a certain size, color, and so on.

15

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

1. The TCP/IP Application Layer (4)

- In most cases, it also includes directions about other files that Bob's web browser should get— things such as graphics images and animation.
- HTTP would then be used to get those additional files from Larry, the web server.




16

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

1. The TCP/IP Application Layer (5)

HTTP in depth


- Bob sends something called an HTTP header to Larry.
- This header includes the command to "get" a file.
- The request typically contains the name of the file (home.htm in this case), or, if no filename is mentioned, the web server assumes that Bob wants the default web page.



Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

1. The TCP/IP Application Layer (6)


- The response from Larry includes an HTTP header as well, with something as simple as “OK” returned in the header.
- If web page that you looked for was not found, then you received an HTTP 404 “not found” error, When the requested file is found, the return code is 0.



1. The TCP/IP Application Layer (7)

same-layer interaction concept;

- When a particular layer wants to communicate with the same layer on another computer, the two computers use headers to hold the information that they want to communicate.
- The headers are part of what is transmitted between the two computers. This process is called *same-layer interaction*.



1. The TCP/IP Application Layer (8)

Summary

- The application layer does not define the application itself, but rather it defines services that applications should be implemented and need it from other layers—like the ability to transfer a file in the case of HTTP.
- In short, the application layer provides an interface between software running on a computer (OS) and the network itself.

2. The TCP/IP Transport Layer

Overview

- The TCP/IP transport layer consists of two main protocol options— the Transmission Control Protocol (TCP) and the User Datagram Protocol (UDP).
- To understand what the transport layer protocols do, you must think about the layer above the transport layer, the application layer.
- Why? because, each layer provides a service to the layer above it.

2. The TCP/IP Transport Layer (2)


- Transport layer is responsible of identify and distinguishing packets of each software program running inside the same host (PC)
- Each software defines its default destination port (identifier) and random source port (identifier).
- both ports are included in TCP header.

20

Dr. Ahmed ElShafee, ACU Fall2010, Computer Networks II


2. The TCP/IP Transport Layer (3)

- Bob and Larry used HTTP to transfer the home page from Larry to Bob.
- But what would have happened if Bob's HTTP get request was lost in transit through the TCP/IP network? Or, what would have happened if Larry's response, which includes the contents of the home page, was lost?




2. The TCP/IP Transport Layer (4)

- So, TCP/IP needs a mechanism to guarantee delivery of data across a network. TCP provides that feature by using acknowledgments.
- the HTTP software asks for TCP to reliably deliver the HTTP get request. TCP sends the HTTP data from Bob to Larry, and the data arrives successfully.




2. The TCP/IP Transport Layer (5)

- Larry's TCP software acknowledges receipt of the data and also gives the HTTP get request to the web server software.
- The reverse happens with Larry's response, which also arrives at Bob successfully



2. The TCP/IP Transport Layer (6)


- assume that if either transmission had been lost, that HTTP would not be concerned, and that TCP would resend the data and ensure that it was received successfully.



2. The TCP/IP Transport Layer (7)

Adjacent layer interaction concept

So, the higher layer asks for the next lower-layer protocol (TCP) to perform the service, and the next lower layer performs the service. The lower layer provides a service to the layer above it.



2. The TCP/IP Transport Layer (8)

Concept	Description
Same-layer interaction on different computers	The two computers use a protocol to communicate with the same layer on another computer. The protocol defined by each layer uses a header that is transmitted between the computers, to communicate what each computer wants to do.
Adjacent-layer interaction on the same computer	On a single computer, one layer provides a service to a higher layer. The software or hardware that implements the higher layer requests that the next lower layer perform the needed function.

2. The TCP/IP Transport Layer (9)

Summary

The TCP/IP transport layer provides services to the various application layer protocols.


Error recovery, as performed by TCP, is one feature.

3. The TCP/IP Internetwork Layer (4)

- the internetwork layer of the TCP/IP networking model, the Internet Protocol (IP), works much like the postal service.
- IP defines addresses so that each host computer can have a different IP address,
- IP defines the process of routing so that devices called routers can choose where to send packets of data so that they are delivered to the correct destination.




Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II



3. The TCP/IP Internetwork Layer (5)


- When Bob sends the data, he is sending an IP packet, which includes the IP header, the transport layer header (TCP, in this example), the application header (HTTP, in this case), and any application data (none, in this case).
- The IP header includes both a source and a destination IP address field, with Larry's IP address as the destination address and Bob's as the source.



Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II


3. The TCP/IP Internetwork Layer (6)

- Bob sends the packet to R2, which makes a routing decision. R2 chooses to send the packet to R1 because the destination address of the packet is 1.1.1.1, and R1 knows enough about the network topology to know that 1.1.1.1 (Larry) is on the other side of R1.



3. The TCP/IP Internetwork Layer (7)

- Similarly, when R1 gets the packet, it forwards the packet over the Ethernet to Larry.
- And if the link between R2 and R1 fails, IP allows R2 to learn of the alternate route through R3 to reach 1.1.1.1.



3. The TCP/IP Internetwork Layer (8)

Summary

IP defines logical addresses, called IP addresses, that allow each TCP/IP speaking device (called IP hosts) to communicate. It also defines routing—the process of how a router should forward, or route, packets of data.

٣٧

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

4. The TCP/IP Network Interface Layer

Overview


- The term network interface refers to the fact that this layer defines how to connect the host computer, which is not part of the network, to the network;
- Ethernet is one example protocol at the TCP/IP network interface layer.
- Ethernet defines the required cabling, addressing, and protocols used to create an Ethernet LAN. Likewise, the connectors, cables, voltage levels,
- Network interface layer defines protocols used to deliver data across WAN links too.

٣٨

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

4. The TCP/IP Network Interface Layer (2)

- Just like every layer in any networking model, the TCP/IP network interface layer provides services to the layer above it in the model internetwork layer.
- The best way to understand the basics of the TCP/IP network interface layer is to examine the services that it provides to IP.




٣٩

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

4. The TCP/IP Network Interface Layer (3)


- IP relies on the network interface layer to deliver IP packets across each physical network.
- IP understands the overall network topology, things such as which routers are connected to each other, which host computers are connected to which networks, and what the IP addressing scheme looks like.



٤٠

4. The TCP/IP Network Interface Layer (8)

- R1 then decides that it should forward the packet over the Ethernet to Larry.
- To do so, R1 adds a brand-new Ethernet header and trailer to the packet and forwards it to Larry.



4. The TCP/IP Network Interface Layer (9)

Summary

- IP uses the network interface layer protocols to deliver the IP packet to the next router or host, with each router repeating the process until the packet arrives at the destination.
- Each network interface protocol uses headers to encode the information needed to successfully deliver the data across the physical network, much like other layers use headers to achieve their goals.
- In short, the TCP/IP Network Interface layer includes the protocols, cabling standards, headers and trailers that define how to send data across a wide variety of types of physical networks.

٤٦

Dr. Ahmed ElShafee, ACU Fall2015, Computer Networks II

4. The TCP/IP Network Interface Layer (10)

CAUTION Many people describe the network interface layer of the TCP/IP model as two layers,

- the data link layer and
- the physical layer.



٤٧

Dr. Ahmed ElShafee, ACU : Fall 2015, Networks II